

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	140135	sharma-gaurav.in. eschbach-reiner. in. wang-shen-ge.in. xerox.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:29
S2	24	( "5978107" or "5978107" or "5978107" or "5978107" or "5978107" or "5978107" or "597810" or "5978107" or "5978107" or "5978107" or "5978107" or "5978107" or "5978107" or "597810" or "5978107" or "5978107" or "5978107" )" ".pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:22
S3	17	((("5642197") or ("5481380") or ("5710872") or ("5753906") or ("6031618") or ("6337923") or ("20030184772") or ("6633408"))). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 17:40
S4	2	"604200".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:46
S5	8	((determin\$5 identif\$7 discriminat\$3 select\$3 choos\$3 pick\$3) with (colo\$1r near5 (profile table LUT))) same (spatial adj1 (feature characteristic feature relation\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:56
S6	11	((determin\$5 identif\$7 discriminat\$3 select\$3 choos\$3 pick\$3) with (colo\$1r near5 (profile table LUT))) same (spatial near5 (feature characteristic feature relation\$4 statistic mean median average variance deviation std))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:12
S7	952	((determin\$5 identif\$7 discriminat\$3 select\$3 choos\$3 pick\$3) with (colo\$1r near5 (profile table LUT))) with (feature characteristic feature relation\$4 statistic mean median average variance deviation std)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:10
S8	81	((determin\$5 identif\$7 discriminat\$3 select\$3 choos\$3 pick\$3) near5 (colo\$1r adj (profile table LUT))) with (feature characteristic relation\$4 statistic mean median average variance deviation std histogram distribution pdf)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 10:03

## EAST Search History

S9	12	(S1 S2) and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:17
S10	11728	((determin\$5 identif\$7 discriminat\$3) with (image near5 ((creat\$3 mark\$3 print\$3 generat\$3 produc\$4) near5 (method process approach mechanism))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:04
S11	1992	((determin\$5 identif\$7 discriminat\$3) with (image near5 ((creat\$3 mark\$3 print\$3 generat\$3 produc\$4) adj1 (method process approach mechanism))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:05
S12	1904	((determin\$5 identif\$7) with (image near5 ((creat\$3 mark\$3 print\$3 generat\$3 produc\$4) adj1 (method process approach mechanism))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:06
S13	55	((determin\$5 identif\$7) with (image near5 ((mark\$3) adj1 (method process approach mechanism))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:18
S14	34	("5978107") or ("6035065") or ("5852823") or ("5668890") or ("6185335") or ("5806081") or ("5760913") or ("6141120") or ("5416613") or ("6353675") or ("6525845") or ("6031618") or ("6088095") or ("6285462") or ("5974279") or ("6069973") or ("6008812")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 17:25
S15	23800	((determin\$5 identif\$7) with (image near5 (type characteristic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:18
S16	925	(select\$3 choos\$3) with (color near5 (profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:29
S17	18	S15 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:34

## EAST Search History

S18	33262	(select\$3 choos\$3) with ((calibrat\$3 correct\$3 adjust\$4 color) near5 (profile method table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:33
S19	1904	((determin\$5 identif\$7) with (image near5 ((creat\$3 mark\$3 print\$3 generat\$3 produc\$4) adj1 (method process approach mechanism))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:30
S20	97	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:31
S21	15	S18 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:31
S22	25	(select\$3 choos\$3) with ((scanner near5 calibrat\$3) near5 (profile method table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:29
S23	1	S15 same S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:34
S24	3	S15 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:34
S25	146	(select\$3 choos\$3) with ((scan\$4 near5 (adjust\$4 calibrat\$3)) near5 (profile method table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:38
S26	5	S19 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:39
S27	10	S15 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 09:39

## EAST Search History

S28	2	("7034960").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:53
S29	4046	((determin\$5 identif\$7 discriminat\$3) near5 (photograph\$2 xerograph\$2 lithograph\$2 ink\$1jet half\$1ton\$3)) with (feature characteristic relation\$4 statistic mean median average variance deviation std histogram distribution pdf)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 10:05
S30	58	((determin\$5 identif\$7 discriminat\$3) near5 (photograph\$2 xerograph\$2 lithograph\$2 ink\$1jet half\$1ton\$3)) with (spatial adj1 (frequenc\$3 characterstic statistic feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 10:09
S31	0	((determin\$5 identif\$7 discriminat\$3) near5 (image near3 (form\$3 mark\$3)) with (photograph\$2 xerograph\$2 lithograph\$2 ink\$1jet)) same (spatial adj1 (characterstic statistic feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 10:11
S32	22	((determin\$5 identif\$7 discriminat\$3) near5 (image near5 (form\$3 mark\$3)) with (photograph\$2 xerograph\$2 lithograph\$2 ink\$1jet)) same (image near5 (characteristic statistic feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 11:06
S33	115	((determin\$5 identif\$7 discriminat\$3) near5 (image near5 ((form\$3 mark\$3) near3 (type method process))) same (image near5 (characteristic statistic feature)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 11:09
S34	81	((determin\$5 identif\$7 discriminat\$3) near5 (image near5 ((form\$3 mark\$3) near3 (type method process))) with (image near5 (characteristic statistic feature)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 11:46
S35	2	EP-665676-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 11:51

## EAST Search History

S36	2	("5704021").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 11:51
S37	3641	382/162,165,224,225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:07
S38	92	((creat\$3 construct\$3 generat\$3) with ((correct\$3 calibrat\$3 characteriz\$5) near5 (profile table LUT)) with ((test target) adj (pattern strip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:36
S39	35	(image near5 (match\$3 compar\$4)) with (spatial adj (feature characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:55
S40	0	((stor\$3 kept) with (identifier name characteristic) with ("with" adj (profile LUT table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:58
S41	0	((stor\$3 kept) with (identifier name characteristic) with ("with" near5 (profile LUT table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:58
S42	32419	((stor\$3 kept) with (identifier name characteristic) with (profile LUT table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:58
S43	679	(stor\$3 near5 identifier) with (profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:23
S44	0	(stor\$3 near5 identifier) with ((calibration characterization correction conversion) adj3 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S45	101	(stor\$3 near5 identifier) with ((calibration characterization correction conversion) near5 (table LUT profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:19

## EAST Search History

S46	0	(stor\$3 with identifier with "with" with (table LUT profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:21
S47	0	(stor\$3 with identifi\$6 with "with" with (table LUT profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:22
S48	17183	(stor\$3 near5 identifier) with (image data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:23
S49	679	(stor\$3 near5 identifier) with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:23
S50	4	(stor\$3 with identifier with (color near3 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:31
S51	687	((access\$3 retriev\$3) with database with image with (index feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:32
S52	28	((access\$3 retriev\$3) with database with image with (feature adj1 vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:43
S53	0	(weight\$3 near3 (sum\$4 combin\$5 blend\$3)) with ((plural\$3 multiple several) adj1 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:44
S54	63	(weight\$3 near3 (sum\$4 combin\$5 blend\$3)) with ((correction conervation calibration) near5 (table function LUT profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:55
S55	26	(calibrat\$3 near5 scanner) with ((test target) adj (pattern strip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:01

## EAST Search History

S56	2	("5107332").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:53
S57	14	(calibrat\$3 near5 scanner) same (((test target) adj (pattern strip)) with (analy\$3 process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:02
S58	62	(determin\$3 identif\$4) with (image near5 type) with (variation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:09
S59	2	("5293430").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 13:03
S60	59	(determin\$3 identif\$4) with (image near5 type) with (std deviation variance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:37
S61	20336	(weight\$3 with ((determin\$3 relative\$2 proportion\$4) near5 (compar\$4 similar\$4 close\$4 distance difference)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:39
S62	173	(weight\$3 near5 determin\$3) with ((relative\$2 proportion\$4) near3 (similar\$4 close\$4 distance difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:43
S63	12	(weight\$3 near5 determin\$3) with ((relative\$2 proportion\$4) near3 (similar\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:42
S64	197	(weighted near5 (sum\$4 averag\$3 mean combin\$4 blend\$3)) with ((relative\$2 proportion\$4) near3 (similar\$4 close\$4 distance difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:44
S65	14	(weighted near5 (sum\$4 averag\$3 mean combin\$4 blend\$3)) with ((relative\$2 proportion\$4) near3 (similar\$4 close\$4 ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:49

## EAST Search History

S66	586	((automatic\$2 system process\$3) near5 (generate\$3 produc\$3 select\$3 choos\$3 chosen pick\$3) near5 candidate) with ((manual\$2 user operator) near5 (select\$3 choos\$3 chosen pick\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:52
S67	34	(automatic\$4 near5 (generate\$3 produc\$3 select\$3 choos\$3 chosen pick\$3) near5 candidate) with ((manual\$2) near5 (select\$3 choos\$3 chosen pick\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:52
S68	2	("4194221").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:51
S69	753	((manual\$2 operator user) near3 (select\$3 choos\$3 chosen pick\$3)) with ((color calibrat\$3 correction conversion) near3 (profile table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:03
S70	18	((automatic\$4 system processor) near3 (select\$3 choos\$3 chosen pick\$3)) with ((list subset set candidate) near5 (color calibrat\$3 correction conversion) near3 (profile table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:08
S71	272	(select\$3 choos\$3 chosen pick\$3) with ((list subset candidate group) near5 (color calibrat\$3 correction conversion) near3 (profile table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:52
S72	40	S69 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:09
S73	38	(select\$3 choos\$3 chosen pick\$3) with (candidate near5 (color calibrat\$3 correction conversion) near3 (profile table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:55
S74	18	(select\$3 choos\$3 chosen pick\$3) with (sub\$1set near5 (color calibrat\$3 correction conversion) near3 (profile table LUT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:55